					S	HEET 1 O	F <u>3</u>		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION				ATTY. DOCKET NO. KAN-002-B		SERIAL NO. 10/809,856			
(PTO-1449)									
	,			APPLICANT OSAMA KANDIL					
					FILING DATE March 26, 2004		GROUP 1655		
		U.	S. PATENT DO	CUMENTS					
EXAMINER'S INITIALS	PATENT NO.	DATE		NAME	CLASS	SUBCLASS	FILING	DATE	
01	5,231,112		Janoff et al.						
10	5,482,711		Mendenica				ļ		
					<u> </u>	<u> </u>	<u> </u>		
EXAMINER'S	1	FORI	EIGN PATENT	DOCUMENTS		T	Trans	lorina	
INITIALS	PATENT NO. DATE		CC	COUNTRY		SUBCLASS	Yes	.\%	
							<u> </u>		
	OTHE	R ART (Inclu	ding Author, Ti	tle, Date, Pertinent	Pages, Etc	c.)		<u></u>	
01	Al-Jassir, M. S	3. 1992. Che	mical compos	ition and microfle	ora of bla	ick cumin (A	Vigella	,	
PC	sativa L.) seeds growing in Saudi Arabia. Food Chemistry 45:239-242.								
	Al-Okbi et al. 1997. Studies of some biochemical, nutritional, and anti-inflammatory effects of Nigella sativa seeds. Egypt J. Pharmacy 38 (4-6): 451-469.								
				He., and Clardy,			d etny	tura	
! \				aloid from the se				iure	
\	Tetrahedron L					6		•	
	P. Committee of the com			n, K. 1992. Nigel		•	noline		
	alkaloid from the seeds of Nigella sativa. J Nat. Prod. 55(5):676-678.								
	Babayan, V. K., Koottungal, D. and Halaby, G. A. 1978. Proximate analysis, fatty acid and amino acid composition of Nigella sativa L. seeds. J. Food Sc. 43:1314-1315.								
\	Badr El-Din, M. K. 1960. The active principle of Nigella sativa L. 'Nigellone' in treatment of asthma in children. Gaz. Egypt. Ped. Assoc. 8(4):864-867.								
	Chakravarty, N. 1993. Inhibition of histamine release from mast cells by nigellone. <i>Ann.</i>								
Allergy 70:237-242.									
\bigvee	El-Dakhakhny, M. 1965. Studies on the Egyptian Nigella sativa L. Arzne. Forchung. 15(10):1227-9.								
Ot 1				92. A study of so		- ,		_	
	1	Seeds) "Haba	at El Baraka"	J. Egypt. Soc. Ph	armacol.	Exp. Ther.	11(92)	:781-	
EXAMINER Study 1010 DATE CONSIDERED 5/5/04									
	mury 1	ン 「			200	710			

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 69; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

						SHEET 2 C	OF 3		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION				KAN-002-B	ATTY. DOCKET NO. KAN-002-B		SERIAL NO. 10/809,856		
(PTO-1449)			APPLICAN'T						
				OSAMA KAND)IL				
				FILING DATE March 26, 2004		GROUP 1655			
		U.	S. PATENT I	OCUMENTS					
EXAMINER'S INITIALS	PATENT NO.	DATE		NAME	CLASS	SUBCLASS	FILING	DATE	
	<u> </u>	FOR	EICH BATEN	T DOCUMENTS	ــــــــــــــــــــــــــــــــــــــ		<u> </u>		
EXAMINER'S		FOR	EIGN PATEN	T DOCUMENTS		SUBCLASS	Trans	lation	
INITIALS	PATENT NO.	DATE	(COUNTRY	CLASS		Yes	No	
			<u> </u>		-		 ""	-	
	OTHE	R ART (inclu	ding Author.	Title, Date, Pertinen	t Pages, Et	c.)	L	Ь	
		<u>*</u>		nd Al-Harbi, M. N			rv effe	cts of	
PC	the volatile oil	of the black	seed (Nigel	la Sativa) in guine	ea pigs: E				
9	mechanism(s) of action. Gen. Pharmac. 24(5):1115-1122. Ferdous, A. J., Islam, S. N. et al. 1992. In vitro antibacterial activity of the volatile oil of Nigella sativa seeds against multiple drug-resistant isolates of Shigella spp. and isolates of Vibrio cholerae and Escherichia coli. Phytother. Res. 6:137-140.								
	Hanafy, M. S.	M. and Hate	em, M. E. 19	991. Studies on th	e antimicr		y of N	igella	
	sativa seed (black cumin). J Ethnopharmacol. 34:275-278. Haresh et al. 1989. Effect of certain non-edible seed oils on growth regulation in dysdercus similis. J. Anim. Morphol. Physiol. 36(2): 209-218.								
	Houghton, P. J., Zarka, R. et al. 1995. Fixed oil of Nigella sativa and derived thymoquinone inhibit eicosanoid generation in leukocytes and membrane lipid peroxidation. Planta Med. 61:33-36.								
	Isseroff, R.R., Fish again for Dinner! The role of fish and other dietary oils in the therapy of skin disease. 1988 J Am Acad of Derm. 19(6):1073-1080.								
V	Mahfouz, M., Abdel-Maguid, R. and El-Dakhakhny, M. 1965. The effect of Nigellone therapy on the histaminopexic power of the blood sera of asthmatic patients. <i>Arzne. Forchung.</i> 15(10):1230-1.								
PC	Mahfouz, M.,	Dakakny, M	I., Gemei, A	. and Moussa, H. 44(4):225-229	1962. Cho	oleretic actio	n of N	igella	
EXAMINER	Menounos, P.	Staphylakis n. 25(3):761	s, K. and Ge	giou, D. 1986. Th		of Nigella sa	tiva sec	ed	
1	Saturd Late Considered 106								

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

·				SHEET 3 OF 3						
INFORMATION DISCLOSURE CITATION IN AN APPLICATION (PTO-1449)			ATTY. DOCKET NO. KAN-002-B		SERIAL NO. 10/809,856					
	\-	• • • • •		APPLICANT OSAMA KANDIL						
					FILING DATE March 26, 2004			GROUP 1655		
		U.	S. PATENT D	OCUMENTS						
EXAMINER'S INITIALS	PATENT NO.	DATE:		NAME CLASS SUBC		SUBCLASS	FILING DATE			
		EOPI	PICN DATEN	TROCUMENTS		<u> </u>	<u> </u>			
EXAMINER'S INITIALS	PATENT NO.	DATE	l .	OUNTRY CL		SUBCLASS	Trans Yes	Jatian No		
				litle, Date, Pertinent						
P.C	Nair, S. C., Salomi, M. J., Panikkar, B. and Panikkar, K. R. 1991. Modulatory effects of <i>Crocus sativus</i> and <i>Nigella sativa</i> extracts on cisplatin-induced toxicity in mice. <i>J Ethnopharmacol.</i> 31:75-83.									
9	Nergiz C. and Otles, S. 1993. Chemical composition of Nigella sativa L. seeds. Food Chem. 48:259-261.									
	Rao, R. B., Alam, M., Dasan, K. K. S. and Purushothaman, K. K. 1982. Analytical profile of certain ayurvedic drugs used in gastro-intestinal disorders. <i>Nagarjun</i> . June:224-227.									
	Salomi, N. J., Nair, S. C., Jayawardhanan, K. K., Varghese, C. D. and Panikkar, K. R. 1992. Antitumour principles from <i>Nigella sativa</i> seeds. <i>Cancer Lett.</i> 63:41-46.									
	Singh Maurya, D. P., Goyal, S.R., and Sarup, R. 1983. Oestrogenicity of seeds of Kalajaji (Nigella sativa) in female albino rats. Nagarjun May:202-205.									
	Salomi, M. J., Nair, S. C., and Panikkar, K. R. 1991. Inhibitory effects of Nigella sativa and saffron (Crocus sativus) on chemical carcinogenesis in mice. Nutrition and Cancer. 16:67-72.									
PC		igella Sativa	L seeds. Ac	El-Dakhakhny, Native principle with				. J		
										
										
EXAMINER	Coline	rec de	fr 1	DATE CONSIDERED	5/2	5/06				

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw the through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.